


099587 1 10504
103011 1 2050650

Light and Tasty Baking Co. Company Directory - Microsoft Internet Explorer

File Edit View Favorites Tools Help

 **Ascentis. Company Directory**

Home | Help

Search By: 102

100

Name	Job Title	Work Phone	E-Mail
Bisquick, Ramona	Clerk	(206) 555-1212 x1344	ramonab@ltbc.com
Boyd, Rachel	HR/Payroll Manager	(206) 555-1212 x100	rachaelb@ltbc.com
Irvine, Leonard M.	Bread Mixer	(206) 555-1212 x111	leonardi@ltbc.com
Jones, Thomas L.	Bread Supervisor	(206) 555-1212 x111	tomj@ltbc.com
Muffino, Brandon	Controller	(206) 555-1212 x777	brandonm@ltbc.com
Rich, Adam R.	President	(206) 555-1212 x1111	adamr@ltbc.com
Saltmarsh, Dash O.	Bread Maker	(206) 555-1212	dashs@ltbc.com
Smytho, John	Pastry Tester		johns@ltbc.com
Sparrow, Pamela J.	Bread Mixer	(206) 555-1212 x1197	pams@ltbc.com

Done Local intranet

FIG. 1
[PRIOR ART]


00985874-110604

Light and Tasty Baking Co. Company Directory - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Ascentis Jones, Thomas T.

Home | Directory | Help

 Name: Jones, Thomas T. 200
Nick Name: Tom 202
Job Title: Bread Supervisor 204
Work Phone: (206) 555-1212 x111 206
Email Address: tomj@ltbc.com 208
Employee ID: 1258 210
Department: Bread Production 212
Division: Bread 214
Location: Bellevue Bread 216

Rich, Adam R.
President

Jones, Thomas T.
Bread Supervisor 218

Irvine, Leonard M.
Bread Mixer

Saltmarsh, Dash O.
Bread Maker

Local intranet

FIG. 2
[PRIOR ART]

The diagram illustrates a personnel directory system architecture. At the top, there are two cylindrical database components: the **CURRENT DATABASE** (labeled 304) on the left and the **HISTORICAL DATABASE** (labeled 306) on the right. A horizontal double-headed arrow (labeled 308) connects these two databases, indicating bidirectional communication. Below these databases is a rectangular component labeled **PERSONNEL DIRECTORY APPLICATION** (labeled 302). A vertical line with arrows at both ends connects the bottom of the two databases to the top of the application component. A reference numeral 300 with an arrow points to the overall system structure.

FIG. 3

00005874-110001




FIG. 4

09985874-110604




FIG. 5

FIG. 7




FIG. 7